



2016 RAM PROMASTER FEATURE AVAILABILITY

2016 Ram ProMaster FEATURE AVAILABILITY

LEGEND: S = Standard, O = Optional, P = Package, — = Not available, LPO = Limited Product Offering
 Complete package information is listed at the end of the Feature Availability section.
 NOTE: Information shown is correct at time of publication and is subject to change.

	Cargo Van (1500, 2500, 3500)	Cutaway (2500 and 3500)	Chassis Cab (2500 and 3500)	Window Van (2500 and 3500)
BODY MODELS				
1500 Cargo Van – 118-in. wheelbase – low roof (8,550-lb. GVWR)	O	—	—	—
1500 Cargo Van – 136-in. wheelbase – low roof (8,550-lb. GVWR)	O	—	—	—
1500 Cargo Van – 136-in. wheelbase – high roof (8,550-lb. GVWR)	O	—	—	—
2500 Cargo Van – 136-in. wheelbase – high roof (8,900-lb. GVWR)	O	—	—	—
2500 Cargo Van – 159-in. wheelbase – high roof (8,900-lb. GVWR)	O	—	—	—
3500 Cargo Van – 159-in. wheelbase – high roof (9,350-lb. GVWR)	O	—	—	—
3500 Cargo Van – 159-in. wheelbase extended body – high roof (9,350-lb. GVWR)	O	—	—	—
2500 Chassis Cab – 136-in. wheelbase – low roof, 81-in. cab to axle (8,900-lb. GVWR)	—	O	—	—
3500 Chassis Cab – 159-in. wheelbase – low roof, 104-in. cab to axle (9,350-lb. GVWR)	—	O	—	—
2500 Chassis Cab – 159-in. wheelbase extended body – low roof, 104-in. cab to axle (8,900-lb. GVWR)	—	O	—	—
3500 Cutaway – 136-in. wheelbase – low roof, 81-in. cab to axle (9,350-lb. GVWR)	—	—	O	—
3500 Cutaway – 159-in. wheelbase – low roof, 104-in. cab to axle (9,350-lb. GVWR)	—	—	O	—
3500 Cutaway – 136-in. wheelbase extended body – low roof, 104-in. cab to axle (9,350-lb. GVWR)	—	—	O	—
2500 Window Van – 159-in. wheelbase – high roof (8,900-lb. GVWR)	—	—	—	O
3500 Window Van – 159-in. wheelbase, extended body – high roof (9,350-lb. GVWR)	—	—	—	O
POWERTRAIN				
3.6-liter Pentastar V-6 gas engine with six-speed 62TE automatic transmission	S	S	S	S
3.0-liter EcoDiesel I-4 turbo engine with Dual Active Drive six-speed automated manual transmission	O	O	O	O



2016 RAM PROMASTER FEATURE AVAILABILITY

	Cargo Van (1500, 2500, 3500)	Cutaway (2500 and 3500)	Chassis Cab (2500 and 3500)	Window Van (2500 and 3500)
MECHANICAL				
Alternator				
180-amp	S	—	—	S
220-amp (optional on 3.6-liter Pentastar V-6; standard on 3.0-liter EcoDiesel I-4)	O	S	S	O
Axle				
3.86 ratio (standard with 3.6-liter Pentastar V-6)	S	S	S	S
4.56 ratio (standard on 3.0-liter EcoDiesel I-4)	O	O	O	O
Battery				
95-amp, 800 amps cranking (included with 3.6-liter Pentastar V-6)	S	S	S	S
100-amp, 950 amps cranking (included with 3.0-liter EcoDiesel I-4)	P	P	P	P
Cold weather kit — available with EcoDiesel engine	O	O	O	O
Electric Park Brake — included with EcoDiesel engine (late availability)	P	P	P	P
Engine Block Heater				
3.6-liter Pentastar V-6 (includes engine block heater)	O	O	O	O
3.0-liter EcoDiesel I-4 (includes engine block, transmission fluid, gear box heaters)	O	O	O	O
Engine oil cooling — heavy duty (included with 3.6-liter Pentastar V-6)	P	P	P	P
Auxiliary transmission cooler, heavy duty (included with 3.6-liter Pentastar V-6)	P	P	P	P
Trailer hitch with wiring harness – Mopar	O	—	—	O
Trailer wiring harness — Mopar	—	O	O	—
Fuel Tank				
24-gallon	S	S	S	S
Auxiliary fuel tap	S	S	S	S
Remote Start — Mopar	O	O	O	O
Shock Absorbers				
Front, twin tube	S	S	S	S
Rear, heavy duty	S	S	S	S
Steering — hydraulic power (rack and pinion)	S	S	S	S
Suspension				
Front, MacPherson struts, GVWR-tuned control arms, cast iron knuckles, solid stabilizer bar	S	S	S	S
Rear, single leaf spring, drop axle configuration	S	S	S	S
1500 GVWR light-duty suspension 118-in. wheelbase	S	—	—	—
1500 GVWR medium-duty suspension 136-in. wheelbase	S	—	—	—



2016 RAM PROMASTER FEATURE AVAILABILITY

	Cargo Van (1500, 2500, 3500)	Cutaway (2500 and 3500)	Chassis Cab (2500 and 3500)	Window Van (2500 and 3500)
2500 GVWR heavy-duty suspension 136-in. and 159-in. wheelbases	S	—	—	—
3500 GVWR heavy-duty suspension with 20-mm diameter rear sway bar	S	S	S	O
2500 GVWR touring suspension	—	—	—	S
3500 GVWR RV suspension with 26-mm diameter rear sway bar	O	O	O	—
EXTERIOR				
Badge				
Ram head (front grille)	S	S	S	S
Ram head (rear door)	S	—	—	S
Ram ProMaster1500/2500/3500 (front doors)	S	S	S	S
Loose Badge Package	O	O	O	O
Body side moldings	S	S	S	S
Bumpers — rear, black	S	—	—	S
Cold weather grille cover (EcoDiesel only) — Mopar	O	O	O	O
Doors				
Right side sliding door	S	—	—	—
Right side sliding door with glass	O	—	—	S
Left side sliding door	O	—	—	—
Left side sliding door with glass	O	—	—	—
Rear doors, 260-degree opening	S	—	—	—
Rear doors with glass, 260-degree opening	O	—	—	S
Door handles — black	S	S	S	S
Exhaust — single rear exit	S	S	S	S
Fascia — front, black	S	S	S	S
Front license plate bracket	O	O	O	O
Fog lamps (included in Exterior Appearance Group)	P	P	P	P
Graphics				
Custom graphics package A (approximately 70 sq.-ft.) — Mopar	O	—	—	O
Custom graphics package B (approximately 125 sq.-ft.) — Mopar	O	—	—	O
Glass				
Clear windshield, front doors	S	S	S	S
Dark Tinted windows (rear)	O	—	—	S
Rear door window security guards — Mopar	O	—	—	—



2016 RAM PROMASTER FEATURE AVAILABILITY

	Cargo Van (1500, 2500, 3500)	Cutaway (2500 and 3500)	Chassis Cab (2500 and 3500)	Window Van (2500 and 3500)
Grille				
Front, black grille	S	S	S	S
Front, chrome grille (included with Premium Appearance Package)	P	P	P	P
Headlamps				
Enhanced halogen quad headlamps	S	S	S	S
Daytime running lamps	O	O	O	O
Mud Flaps				
Front	LPO	LPO	LPO	LPO
Front and rear	LPO	—	—	LPO
Front and rear heavy duty — Mopar	O	—	—	O
Mirrors, Exterior				
Manual, black, dual lens, turn signal repeaters	S	—	—	S
Extended manual, black, dual lens, turn signal repeaters	—	S	S	—
Power (both lens), heated, folding	O	—	—	O
Extended Power (both lens), heated	O	O	O	O
Paint — monotone				
Bright White	O	O	O	O
Black	O	O	O	O
Flame Red	O	O	O	O
Deep Cherry Red Crystal Metallic	O	O	O	O
True Blue Metallic	O	O	O	O
Bright Silver Metallic	O	O	O	O
Granite Crystal Metallic	O	O	O	O
Sandstone Metallic	O	O	O	O
Broom Yellow	O	O	O	O
Steps				
Rear cargo door – Mopar	O	—	—	O
Side cargo door (LH and RH) – Mopar	O	—	—	O
Tail lamps				
Incandescent	S	S	S	S
Six-foot tail lamp wiring harness extension	—	S	S	—
Tires				
LT225/75R16C BSW All-Season (1500)	S	—	—	—



RAM

2016 RAM PROMASTER FEATURE AVAILABILITY

	Cargo Van (1500, 2500, 3500)	Cutaway (2500 and 3500)	Chassis Cab (2500 and 3500)	Window Van (2500 and 3500)
LT225/75R16E BSW All-season (2500 and 3500)	S	S	S	S
Spare tire, full size	S	S	S	S
Temporary frame mounted spare	—	O	O	—
Delete spare tire	LPO	LPO	LPO	LPO
Tire-pressure monitoring	S	S	S	S
Tire inflator and sealant kit	O	O	O	O
Wheels				
16 x 6-in. five lug, silver painted steel wheel with partial wheel cover	S	S	S	S
16 x 6-in. five lug, silver painted steel wheel with full wheel cover	O	O	O	O
16 x 6-in. five lug, aluminum wheel with cast split-spokes	O	O	O	O
16 x 6-in. five lug, white painted steel wheel	LPO	LPO	LPO	LPO
Delete center cap	LPO	LPO	LPO	LPO
Steel spare	S	S	S	S
Delete spare (includes air compressor, tire inflator, sealant kit)	LPO	LPO	LPO	LPO
Windshield wipers — variable intermittent	S	S	S	S
INTERIOR				
Climate Control				
Single-zone manual heater, A/C temperature control	S	S	S	S
Single-zone manual heater	O	O	O	O
Rear heater, A/C prep	O	O	O	O
Bezel				
Center stack (black)	S	S	S	S
Bright Trim Bezels	O	O	O	O
Cargo lamps	S	—	—	S
Cargo LED light bars — Mopar	O	—	—	O
Cargo Partitions				
No partition	S	—	—	S
Solid partition	O	—	—	—
Window partition – sliding glass	O	—	—	—
Cargo side-wall lower panel	O	—	—	O
Cargo side-wall upper and lower panel	O	—	—	O



2016 RAM PROMASTER FEATURE AVAILABILITY

	Cargo Van (1500, 2500, 3500)	Cutaway (2500 and 3500)	Chassis Cab (2500 and 3500)	Window Van (2500 and 3500)
Cluster				
Large rpm and speedometer gauges and smaller fuel and engine temperature gauges with red LED illuminated needles	S	S	S	S
Reconfigurable dot-matrix EVIC screen in center of display with menu selection switches located on instrument panel left side	S	S	S	S
Tachometer	S	S	S	S
Trip computer	S	S	S	S
Oil level sensor	S	S	S	S
Colors — interior trim (black/gray)	S	S	S	S
Cup holders — center stack (3)	S	S	S	S
Door Locks				
Power, speed-sensitive	S	S	S	S
Remote keyless entry	S	S	S	S
Keys — two remote	S	S	S	S
Additional keys — two remote	O	O	O	O
Electrical — 12-volt upfitter interface connectors (located in passenger side B-pillar)	O	O	O	O
Two 20-amp auxiliary switches	O	O	O	O
Floor Covering				
Front compartment — rubber	S	S	S	S
Front floor access covers — battery and fuel sending unit	S	S	S	S
Rear compartment — metal floor with cargo tie down loops	S	S	S	S
Rear compartment — wooden with cargo tie down loops	O	O	O	O
Rear compartment — rubber (Mopar)	O	—	—	O
Rear compartment — spray-on liner (Mopar)	O	—	—	O
Floor Mats				
Front, premium carpet — Mopar	O	O	O	O
Front, all weather — Mopar	O	O	O	O
Grab handles				
Driver/passenger assist	S	S	S	S
Rear cargo door assist handles — (Mopar)	O	—	—	O
Headliner, raised — Mopar	O	—	—	O
Lighting — courtesy, dome light, incandescent	S	S	S	S



2016 RAM PROMASTER FEATURE AVAILABILITY

	Cargo Van (1500, 2500, 3500)	Cutaway (2500 and 3500)	Chassis Cab (2500 and 3500)	Window Van (2500 and 3500)
Mirror — rearview				
Manual day/night	S	S	S	S
Mirror delete (included with solid partition)	P	—	O	—
Power Outlet				
12-volt front auxiliary power outlet (replaced by cigarette lighter with smoker package)	S	S	S	S
12-volt rear auxiliary power outlet	O	—	—	O
Seats				
Cloth — gray/black inserts with black bolsters and head rests	S	S	S	S
Vinyl — gray/black inserts with black bolsters and head rests	O	O	O	O
Driver bucket — four-way adjustable, armrest	S	S	S	S
Driver bucket — six-way adjustable, armrest, lumbar	O	O	O	O
Driver bucket — six-way adjustable, armrest, lumbar, suspension	O	O	O	O
Driver bucket — six-way adjustable, armrest, lumbar, swivel	LPO	LPO	LPO	LPO
Passenger bucket — four-way adjustable	S	S	S	S
Passenger bucket — four-way adjustable, armrest, lumbar	O	O	O	O
Passenger bucket — four-way adjustable, armrest, lumbar, swivel (must have driver swivel seat)	LPO	LPO	LPO	LPO
Passenger dual bench seat — fold down console	O	O	O	O
Passenger seat delete	LPO	LPO	LPO	LPO
Heated driver seat	O	O	O	O
Heated passenger seat	O	O	O	O
Shifter				
Instrument panel-mounted shift lever (six-speed 62TE automatic transmission with 3.6-liter Pentastar V-6)	S	S	S	S
Instrument panel-mounted shift lever (six-speed Dual Active Drive automated manual transmission with 3.0-liter EcoDiesel I-4)	O	O	O	O
Tow haul	S	S	S	S
Rear-load Compartment Trim				
Lower trim panel	O	—	—	—
Upper/lower trim panels	O	—	—	—
Speed control	O	O	O	O
Steering column — telescoping	S	S	S	S



2016 RAM PROMASTER FEATURE AVAILABILITY

	Cargo Van (1500, 2500, 3500)	Cutaway (2500 and 3500)	Chassis Cab (2500 and 3500)	Window Van (2500 and 3500)
Steering Wheel				
Urethane	S	S	S	S
Leather wrapped	O	O	O	O
Storage				
Dual glove boxes with closing doors	S	S	S	S
Locking glove box — included with Interior Convenience Group	P	P	P	P
Cargo shelves, folding — Mopar	O	O	O	O
Cargo shelves, fixed — Mopar	O	O	O	O
Under driver seat storage tray with Forward Convenience Package	P	P	P	P
Sun visors — driver and front-passenger, with storage sleeve	S	S	S	S
Turn signals — three-blink lane-change feature	S	S	S	S
Windows dark tint				
Power, front with one-touch express down and lift delay	S	S	S	S
Rear defroster	P	—	—	S
MULTIMEDIA				
Bluetooth connectivity — includes handsfree phone, steering wheel controls, Voice Command	O	O	O	O
Connectivity				
Media Hub (auxiliary)	S	S	S	S
Media Hub (1.0 amp USB, auxiliary)	P	P	P	P
USB 2.5-amp charging-only port	S	S	S	S
Electronic vehicle tracking — Mopar	O	O	O	O
Mopar Connect — Wi-Fi	O	O	O	O
Navigation				
O	O	O	O	O
Radios				
AM/FM MP3 capable with 18 AM/FM preset stations, single DIN storage	S	S	S	S
Uconnect 3.0 AM/FM/BT without steering wheel controls (late availability)	O	O	O	O
Uconnect 5.0 AM/FM/BT/CD with 12 AM/FM preset stations	O	O	O	O
Radio Prep	O	O	O	O
Radio Delete	O	O	O	O
Radio controls — steering-wheel mounted audio controls	P	P	P	P
SiriusXM Radio	O	O	O	O



2016 RAM PROMASTER FEATURE AVAILABILITY

	Cargo Van (1500, 2500, 3500)	Cutaway (2500 and 3500)	Chassis Cab (2500 and 3500)	Window Van (2500 and 3500)
Speaker Systems				
Four speakers — two 30-watt tweeters in A-pillars and two 40-watt mid-range in doors	S	S	S	S
SAFETY AND SECURITY				
Air Bags				
Advanced front air bags	S	S	S	S
Supplemental side-curtain air bags	S	S	S	S
Supplemental side-seat air bags	S	S	S	S
Brakes				
Power-assisted four-wheel antilock disc brakes (1500 GVWR)	S	—	—	—
Power-assisted four-wheel antilock disc brakes (2500 GVWR)	S	—	—	S
Power-assisted four-wheel antilock disc brakes (3500 GVWR)	S	S	S	—
DOT Roadside Emergency Kit (Mopar)	O	O	O	O
Roof clearance lamps — front	S	S	S	S
Roof clearance lamps — front delete	—	O	O	—
Roof clearance lamps — rear	S	—	—	S
Electronic stability control — includes antilock brakes (ABS), Brake Assist, brake-lock differential, Electronic Roll Mitigation, Hill-start Assist, automatic brake lamp actuation, traction control, engine drag control, trailer-sway control and drift compensation	S	S	S	S
ParkSense rear park assist system	O	—	—	O
ParkView rear backup camera	O	—	—	O
ParkView rear backup camera prep with cable connection at the B-Pillar	S	—	—	S
Remote keyless entry — controls for power locks, panic alarm; includes one transmitter	S	S	S	S
Restraints				
Front shoulder height-adjustable (outboard only)	S	S	S	S
Three-point seat belt, front center (when equipped)	S	S	S	S
Security alarm	O	O	O	O
Tire-pressure monitor with display (included with EVIC)	S	S	S	S



2016 RAM PROMASTER FEATURE AVAILABILITY

	Cargo Van (1500, 2500, 3500)	Cutaway (2500 and 3500)	Chassis Cab (2500 and 3500)	Window Van (2500 and 3500)
GROUPS AND PACKAGES				
Auxiliary Battery Wiring Prep Package	○	○	○	○
Rear Speaker Wiring Prep Package	○	○	○	○
Smokers Package — includes removable ash tray, cigar lighter (replaces 12-volt power outlet)	○	○	○	○
Forward Convenience Package — includes locking glove box, overhead shelf, windshield document clip, under-seat storage tray	○	○	○	○
Cargo Convenience Group — includes side wall tie-down loops, rear door storage net	○	—	—	○
Premium Appearance Package — includes chrome front grille, fog lamps	○	○	○	○

